

Studienverzeichnis Tumor Zentrum Aarau

Aktuelle klinische Studien am Tumor Zentrum Aarau

Brustkrebs (1/2)

- grau: Studienpatienten im follow up
- schwarz: Rekrutierung offen

Studie	Phase	Indikation/Beschreibung	PI (Prüfarzt)
SAKK 96/12	III	Prevention of Symptomatic Skeletal Events with Denosumab Administered every 4 Weeks versus every 12 Weeks – A Non-Inferiority Phase III Trial	Dr. R. Popescu
RIBELLE	NIS	RIB-ELLE: A non-interventional study to assess the safety and efficacy of RIBociclib in combination with an aromatase inhibitor (letrozole, anastrozole, exemestane) in the swiss advanced breast cancer population	Dr. R. Popescu
IMpassion030	III	A phase 3, multicenter, randomized, open-label study comparing atezolizumab (anti-PD-L1-antibody) in combination with standard adjuvant anthracycline/taxane-based chemotherapy versus chemotherapy alone in patients with operable triple-negative breast cancer	Dr. A. Jakob
SAKK 95/17	III	SAKK 95/17: A 24 weeks activity program in patients with early breast cancer receiving aromatase inhibitor therapy. A multicenter randomized phase III trial.	Dr. A. Jakob

Brustkrebs (2/2)

- grau: Studienpatienten im follow up
- schwarz: Rekrutierung offen

Studie	Phase	Indikation/Beschreibung	PI (Prüfarzt)
CBYL719C2401		A descriptive study of PIK3CA mutations in patients with HR+/Her2- advanced breast cancer	Dr. R. Popescu
EPIK-B3 (CBLY719H12301)	III	EPIK-B3: A Phase III, multicenter, randomized, double-blind, placebo-controlled study to assess the efficacy and safety of alpelisib (BYL719) in combination with nab-paclitaxel in patients with advanced triple negative breast cancer with either phosphoinositide-3-kinase catalytic subunit alpha (PIK3CA) mutation or phosphatase and tensin homolog protein (PTEN) loss without PIK3CA mutation	Dr. R. Popescu

Urologische Tumoren

- grau: Studienpatienten im follow up
- schwarz: Rekrutierung offen

Studie	Phase	Indikation/Beschreibung	PI (Prüfarzt)
SAKK 96/12	III	Prevention of Symptomatic Skeletal Events with Denosumab Administered every 4 Weeks versus every 12 Weeks – A Non-Inferiority Phase III Trial	Dr. R. Popescu

Gastrointestinale Tumoren

- grau: Studienpatienten im follow up
- schwarz: Rekrutierung offen

Studie	Phase	Indikation/Beschreibung	PI (Prüfarzt)
SAKK 41/14 Active 2	III	Physical activity program in patients with metastatic colorectal cancer who receive palliative first-line chemotherapy. A multicenter open label randomized controlled phase III trial.	Dr. R. Popescu
DANTE	III	A randomized, open-label Phase II efficacy and safety study of atezolizumab in combination with FLOT versus FLOT alone in patients with gastric cancer and adenocarcinoma of the oesophago-gastric junction (MO30039) – The DANTE Trial A Trial of AIO in collaboration with SAKK	Dr. R. Popescu

Diverse Indikationen

- grau: Studienpatienten im follow up
- schwarz: Rekrutierung offen

Studie	Phase	Indikation/Beschreibung	PI (Prüfarzt)
SAKK 80/19 Alpine TIR	Register	Alpine Tumor Immunology Registry	Dr. A. Jakob

Klinische Forschung - Tumor Zentrum Aarau

Klinische Studien dienen dazu, die Wirksamkeit und Sicherheit neuer Verfahren oder Medikamente zu prüfen sowie bekannte Behandlungsmodelle zu optimieren.

Das Ärzte- und Pflorgeteam am Tumorzentrum beteiligt sich seit vielen Jahren regelmässig an wissenschaftlichen Forschungsprojekten und engagiert sich aktiv in nationalen und internationalen Netzwerken und Fachgesellschaften wie dem Swiss Tumor Institute, der Schweizer Arbeitsgemeinschaft für klinische Krebsforschung (SAKK) sowie europäischen und amerikanischen Krebsgesellschaften (z. B. ESMO & ASCO, DGHO, ESH & ASH).

Dadurch sind wir in der Lage, unseren PatientInnen zu jedem Zeitpunkt eine qualitätsgesicherte kontinuierliche medizinische Versorgung auf höchstem Niveau zu gewährleisten und setzen damit Massstäbe für eine integrierte, ganzheitliche, interdisziplinäre Behandlung – ambulant und stationär.

Studienkoordination

Tumor Center – Hirslanden Medical Center

Rain 34

CH – 5000 Aarau

Phone: +41/(0)62 836 78 43

Fax: +41/(0)62 836 78 31

E-Mail: studien@tumor-zentrum.ch